

TYPICAL PROPERTIES of A-8

		UNIT	DATA	TEST METHOD
Density		kg/m ³ pcf	64 4.0	ASTM D3575 SuffixW
Compression Deflection		kPa psi	93.4 13.5	ASTM D3575 SuffixD
Compressin set		%	10.4	ASTM D3575 SuffixB
Tensile strength		MPa psi	0.88 128	ASTM D3575 SuffixT
Tensile elongation		%	150	ASTM D3575 SuffixT
Thermal stability	LENGTH	%	-0.6	ASTM D3575 SuffixS
	WIDTH		-0.6	ASTM D3575 SuffixS
	THICKNESS		3.3	ASTM D3575 SuffixS